



Part Number : 08700001

Series Number : 5005

Product Category : Crimp Terminals

Product Description : 4.80mm Pitch Crimp Terminal, Female, Reel

Status : Active

Engineering Number : 5005T

Documents & Resources

Drawings
Drawing 008700001_sd.pdf
Packaging Design Drawing SPK-5005-001-001.pdf
Packaging Design Drawing SPK-5005-001-002.pdf
Packaging Design Drawing SPK-5005-001-003.pdf

Specifications
Product Specification PS-5025-001-001.pdf
Product Specification PS-5025-002-001.pdf

Tooling Specifications
Crimp Specification CS-5005~5006-001.pdf
Crimp Specification CS-5005~5006-002.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant with Exemption 44
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Crimp Terminals
Series	5005
Description	4.80mm Pitch Crimp Terminal, Female, Reel
Application	Power
Product Name	N/A
UPC	800753614277

Physical

Gender	Female
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	150.200/mg
Packaging Type	Reel
Plating min - Mating	0.889µm
Plating min - Termination	0.889µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.30-3.00mm
Wire Size (AWG)	18, 20, 22, 24
Wire Size mm ²	N/A

Mates With / Use With

Mates with Part(s)

Description	Part Number
-------------	-------------

4.80mm Pitch Male Crimp Terminal	<u>5006</u>
----------------------------------	-------------

Use with Part(s)

Description	Part Number
4.80mm Pitch Wire-to-Wire Housings	<u>5025</u>

Application Tooling

Global

Description	Part Number
Terminator Die	<u>11402064</u>
Hand Crimp Tool for Standard 1.57mm Pin and Socket Crimp Terminals, 18-24 AWG	<u>638191300</u>
Mini-Mac Applicator	<u>638936000</u>

Application Tooling

Japan

Description	Part Number
S-1 Applicator for 4.80mm Pitch Male and Female Crimp Terminals, 18-24 AWG, Wire Insulation Diameter 2.30-3.00mm	<u>2023933700</u>
S-1 Applicator for 4.80mm Pitch Male and Female Crimp Terminals, 18-24 AWG, Wire Insulation Diameter 1.30-2.70mm	<u>2023933710</u>